EAST Search History

EAST Search History (Prior Art)

lef #	Hits	Search Query DBs Default Op	rator Plur	als [Time Stamp
1	5093	[3707351;995.2];95	ON		008/11/27 11:3
2	942	[ST and (establishS with requestSS) (US-PGPUB, USPAT; PFPB, EPO, JPO, DEFINIENT; FBM, TDB (ADU	ON	i.	008/11/27 11:3
3	763	(SC and response\$2 (US-PGPUB; USPAT; FRRS; BPO, UPC) DERIMENT; IBM, TDB. \$40.0	ON	9	008/11/27 11:3
4	129	(second nears link near) establisht(s) near(request(s)) (US RGPUB; USPAT; FFFS; EPC, IPC, DEFINENT; IBM_TDS; IADU	ON		008/11/27 11:3
 б	43	St some response (US RGPUS; USPAY): PFPS (PC), I/C), DERINENT', (BM, TDS, (ADJ.	ON	2	008/11/27 11:3
 6	21	St and (@ade="20021015" or @hade="20021015" o	ON		2008/11/27 11:3
	32	ides with requests with multiplexs US-REPUBL USPAT, FFRS EPO, IPO, DERWINT, IBM TOB (ADJ.	ON		008/12/01 14:2
	·	(full-duplex or half-duplex or full duplex or half-duplex or half-	ON		008/12/01 14:2
		ST and SS Use REPUBLISHIT FRIS EPO. JPC DERIVENT I BUT TOS VALUE.	ON		2008/12/01 14:2
******		18457054" pn. US PGPUB: USPNT; FFRS; EPO, JPO, DERINDITT I BM TDB: VADU	ON	******	008/12/01 14:4
)6	17886197 pn. US-RGPUE USPAT, FRRS BO, APO DERNIENT, ISM TOS MAD	ON		008/12/01 15:0
	10 12	1,000-19 pt	ION		008/12/01 15:0
	ļ-		ON		
		information with request\$3 with multiplex\$3 (LS-RGPLB, LSPAT; FRRS) EPO, APO, DERNIENT; IBM_TDB. }ADJ	los.		008/12/01 15:1
	(\$13 same ls (J.E. REPOLE, LISPATT, FFFRS, EPC), IPC), DEFINISHT, IBM_TIDB_(ADJ	ON		008/12/01 15:1
	27411	7	ON		2008/12/01 15:1
		[SI3 same SI3 [US PAT], FPRS, EPO, JPC, DERIVENT; BM, TOB JADJ	ON		008/12/01 15:1
	2	(10 61391) US PATUE, USPAT, FPRS, EPO, JPC, DERINANT; BM, TOB (40.)	ON		009/06/02 13:3
-	42729	jecond near2 request (US PGTUE, USPNT; FFRS, EPO, LPO, DERINENT; IBM, TOB (AU)	ON	ě	2009/06/02 13:3
	A	(S21 same soft near2 (handsoff) (US-PGPUE, USPAT; FPRS, EPO, UPO, DEPINENT; IBM, TDB (ADU	ON		2009/06/02 13:3
	18	[S21 same (soft near2 (handboth)) (US-PGPUS; USPAT; PFPS; EPO, JPO, DEFINIENT; IBM, TDB: \$40.0	ON	ž	009/06/02 13:3
	j0	(S21 with (multiplexS5) (US POPUB; USPAT; FPRS; EPC), IPC) DERINENT; IBM, TOB (VDU	ON	2	2009/06/02 13:5
25	267	(SZT with (multiplexis) (US PGPUB, USPAT; FFRS, EPC, IPC, DERMENT; TBM, TDB (VDU	ON	······	009/06/02 13:5
26	35	S25 same link (US-PGPUB; USPAT; FPRS; BPO, UPO; DERIMENT; IBM TDB (ADU	ON		009/06/02 13:5
27	45	SE5 same channel US PGPUB; USPAT; FRRS; BPO, UPO; DEFINIENT; IBM TDB (ADU	ON		009/06/02 13:5
28	2	[S28 and (@adx = "20021015" or @nladx = "20021015" or @gradx = "20021015" or @gradx = "20021015" or @nladx = "2002	ON		009/06/02 13:5
29	45	SZ7 same channel US-RGPUS USPAY: FFPRS EPO, IPO DEFINIENT'S MAD.	ON		009/06/02 13:5
30	21	S27 and (@ads-="20021015" or @riads-="20021015" or @arads-="20021015" or @arads-="20021015	ON		2009/06/02 13:5
		jscondinea? request US-RGPUBL USPATI, FFRS: EPO, IPO, DERWART I BIAL TOB (ADJ.	ON		2009/06/02 16:1
	·	SSI with (multiplies5) U.S. PGPUB. USPATE FPRS. EPO. IPO. DEPRIVATE: [BM. TDS [ADJ.	ON		009/06/02 16:1
33	·		ION		009/06/02 16:1
		(S22 same (reply or response) 1.58 FGPUB. USPATI, FFRS BPO, IPO, DERWINDIT I BM TIDE 340J	ON		009/06/02 16:1
	*******	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ON	:	009/06/02 16:1
*****				******	*************************
		ink near2 request \(U.S. RGPU.B. USPAT; FRR9): \$\text{PRY D. PGY, PGY D. PGY PRY D. PGY PGY D. PGY	ON		009/06/02 16:5
******	**********	S86 same (reply or response) US-PGPUB, USPAT, FPRS, EPC, UPC, CERNADIT, I BIN_TOB. (ACU	ON	*	009/06/02 16:5
	f	(SOT same (multiplesS) (US PATE, FPRS, EPO, JPC, DERWINT; IBM, TOB (AD.)	ON		009/06/02 16:5
	********	SSB and (@ads.="20021015" or @Hads.="20021015" or @prads.="20021015") US-RGPLB, USPAT, FPRB, EPO, IPO, DERINANT, IBUL TOB (ADJ	ON		009/06/02 16:5
	١	pecond near2 link near2 request (US-RGRUE, USPAT; FFRS, EPO, UPO, DERINANT; IBM, TOB. (ADJ.	ON	1	009/06/02 17:0
	95	(S40 same (reply or response) (US PGPUB) USPAT; FRPS, EPO, UPO, DERINDATT; I BM_TIDB (ADU	ON	ž	009/06/02 17:0
-	44	\$41 and (@ade="20021015" or @flade="20021015" or @flade="2002101	.(ON	5	009/06/02 17:0
43	123	jsecond rear2 ratio near2 request (US POPUB; USPAT; PPRS; EPO, ,PPC; DERINENT; ISM, TIDB: (ADU	ON	12	009/06/02 17:1
344	66	[S93 and (@ad<="20021015" or @flad<="20021015" or @	ON		009/06/02 17:1
45	42729	jscond rear2 request US PGPUB; USPAT; FFPS (PC, I-PC) DEFINIENT; IBM_TDS (PAU)	ON		009/06/03 11:3
46	14531	S45 same (reply or response) US-PGPUB. USPAT; FRPS, EPO, UPO, DEPINENT; IBM TDB (ADU	ON		2009/06/03 11:3
		Ses and fifth and tidm U.S. PGPUB, USPAT, FPRS, EPO, JPC, DERWENT; IBM TDB AND	ON	<u>`</u>	009/06/03 11:3
48	39	S97 and (@ads-="20021015" or @riads-="20021015" or @riads-="20021015	ON		009/06/03 11:3
		(S/5 same (best-effort or bestSeffort) US-PGPUE, USPAT, FPRS, EPC, UPC, DEPINENT; ISM TDB (ADJ)	ON		009/06/03 11:3
		(Johannel or link or connect(\$5) near2 (terminal(\$5)) US PGPUB (USPAT; FFRS, EPC, UPC), DEFINENT (IBM TDB 'ADJ	ON	******	009/06/03 11:5
		(Sci same S45 Super S45 Su	ON		009/06/03 11:5
		(SST and [@ack="20021015" or @flade="20021015" or @flade="20021015") US-RGPUB_USPATF, FRSS_BPO, PCD. DERWINDIT (BIM_TOB_PAD)	ON		009/06/03 11:5
102 153	1	501 and (genuse 2022/01) on (genuse 2022/01) o	ON		009/06/03 20:3
******	,,,,,,,,,,,,		ON	·*****	
					009/06/03 20:3
55		(SS and SS4 (LS RGPUB, USPAT, FRRS) (BO, JPO, DERNIENT, IBM_TDS)/V.D.	ON		009/06/03 20:3
56	50	\$55 and (full-duples or half-duples or half-duple	ON		009/06/03 20:3
 67		(Ink near2 request (US PGPUB; USPAT; FPRS; EPO, UPO; DERWENT; IBM TDB (ADJ			009/06/03 20:4

4753	(link near 2 requestS3) same information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2009/11/05 16:5
79	SS9 same multiplexS4	US-POPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2009/11/05 16:5
38	'S80 and (@adx="20021015" or @rladx="20021015" or @pradx="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2009/11/05 16:5
! ;14	(link near2 request(S3) same (single near2 packet)	US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM_TDB. ADJ	ON	2009/11/05 17:0
34	(second near 2 request\$3) same (single near 2 packet)	:US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM_TDB. ADJ	ON	2009/11/05 17:4
18	S83 and (@ad<="20021015" or @riad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2009/11/05 17:4
	(requestS3) same (single near2 packet)	JUS-POPUB; USPAT; FPRS, EPO, JPO, DERWENT; IBM TDB (ADJ	ON	2009/11/05 18:
	S85 same multiples64	US POPUB: USPAT: FPRS. EPO. JPO. DERWENT: IBM TDB 3ADJ	ON	2009/11/05 18:
	S86 and (@ack="20021015" or @rlad<="20021015" or @brad<="20021015")	US-PCPUB: USPAT: FPRS. EPO: JPO: DERIMENT: IBM TDB 'ADJ	ON	2009/11/05 18:
*****	000 and geache 2002/010 of genache 2002/010 of	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	ON ON	2009/11/06 12:
	370/336.337.347.351.395.21.395.2.395.3397.398.399.458.465.488.537.cds.	US-PGPUB: USPAT; FPRS, EPO; JPO; DERWENT; IBM TDB ADJ	ON	2009/11/06 12:
	Ink near2 request	US PGPUB; USPAT; FPRS; EPO; JPO; DERIMENT; IBM_TDB: ADJ	ON	2009/11/06 12:
	STO same (reply or response)	US-PGPUB; USPAT; FPRS, EPO; JPO; DERMENT; IBM_TDB (ADJ	ON	2009/11/06 12:
	S88 and S71	US-PGPUB; USPAT; FPRS, EPO; JPO; DERMENT; IBM_TDB. ADJ	ON	2009/11/06 12:
	NEXT near2 link near2 request	;US-PGPUB; USPAT; FPRS; EPO; JPO; DERMENT; IBM_TDB: ;ADJ	ON	2010/05/19 18:
	(link near2 request) SAME CUPPENT SAME NEXT	US-PGPUB; USPAT; FPRS, EPO; JPO; DERIMENT; IBM_TDB: ADJ	ON	(2010/05/19 18:
127	(link near2 request) SAME CUPPENT SAME NEXT	;US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM_TDB: ;ADJ	ON	2010/05/19 20:
3 391	\$75 and (@adx="20021015" or @rladx="20021015" or @pradx="20021015")	JUS-PGPUB; USPAT; FPRS; EPO; JPO; DERMENT; IBM_TDB: ADJ	-jon	2010/05/19 20:
317	second near2 link near2 request	US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/05/19 21:
	another near2 link near2 request	US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/05/19 21:
	second\$3 near2 link near2 request	US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2010/05/19 21:
	second near2 link near2 request	US-PGPUB; USPAT; FPRS, EPO, JPO; DERWENT; IBM TDB ;ADJ	ON	2010/05/19 21:
	second/S3 near2 link near2 request	US POPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ADJ	ON	2010/05/20 13:
	S82 and (@ad<="20021015" or @flad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM_TDB ;ADJ	-ON	2010/05/20 13:
	oce and genter 2 occinity or genate 2 occinity or genate 2 occinity (:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ;ADJ		
	(370) 336 337 347 351 385 21 395 2 395 3 397 398 3994 458 465 488 537 cds.		ON	2010/05/20 13:
***************************************		JUS-PGPUB; USPAT; FPRS; EPO; JPO; DERIMENT; IBM_TDB: ADJ		
	second\$3 near2 link near2 request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERMENT; IBM_TDB: ADJ	ON	2010/05/20 18:
	S86 and S85	US-PGPUB; USPAT; FPRS; EPO; JPO; DERMENT; IBM_TDB. \$ADJ	ON	2010/05/20 18:3
	(multiplex59 with current with (next near2 request\$3))	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERIMENT; IBM_TDB: (ADJ	ON	2010/10/26 17:3
	(multiplex\$9 with current with request\$3)	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	ON	2010/10/26 17:3
67	S89 same (link or channel or path)	JUS-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: \ADJ	ON	2010/10/26 17:3
 46	\$90 and (@adx="20021015" or @rladx="20021015" or @pradx="20021015")	JUS-PGPUB; USPAT; FPRS, EPO; JPO; DERIMENT; IBM_TDB: ADJ	ON	2010/10/26 17:4
148	(multiplex\$9 with (next near2 request\$3))	JUS-PGPUB; USPAT; FPRS, EPO; JPO; DERMENT; IBM_TDB: \ADJ	ON	2010/10/26 17:
46	(SB1 and (@udx="20021015" or @rladx="20021015" or @pradx="20021015")	US-PGPUB; USPAT; FPRS, EPO; JPO; DERIVENT; IBM_TDB: ADJ	ON	2010/10/26 17:
11652	rts with data	JUS-POPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2010/10/26 20:
226	S94 with multiples\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/26 20:
·····	S95 same (link or channel or path)	US PGPUB; USPAT; FPRS, EPO, JPO, DERWENT; IBM TDB (ADJ	ion.	2010/10/26 20:
	S96 and (@ad<="20021015" or @riad<="20021015" or @rad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2010/10/26 20:5
	(multiplexS9 with (next near2 requestS3))	:US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM TDB ADJ	ion	2010/10/26 21:5
	(munipersor win it near zeopersory) (598 and (@adc="20021015" or @rladc="20021015" or @pradc="20021015")	US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2010/10/26 21:5
			ON	
	(next near2 (link or charnel) near2 reques(\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB ADJ		2010/10/27 14:4
	S100 same multiplex\$9	JUS-PGPUB; USPAT; FPRS, EPO; JPO; DERMENT; IBM_TDB. JADJ	ON	2010/10/27 14:5
	S100 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS, EPO; JPO; DERMENT; IBM_TDB. ADJ	ON	2010/10/27 15:
13 2	second near2 (next near2 (link or channel) near2 request\$3)	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB. }ADJ	ON	2010/10/27 15:2
	second near6 (next near2 (link or channel) near2 request\$3)	;US-PGPUB; USPAT; FPRS; EPO; JPO; DERMENT; IBM_TDB: ADJ	ON	2010/10/27 15:2
35	multiplex\$9 with (uplink near2 request\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/27 15:
6 16	\$105 and (@ad<="20021015" or @riad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS, EPO; JPO; DERMENT; IBM_TDB: ADJ	ON	2010/10/27 15:
7 121	multiplexS9 near3 data near3 signalling	US-PGPUB; USPAT; FPRS; EPO; JPO; DERMENT; IBM_TDB: ADJ	ON	2010/10/27 16:
***********	S107 same uplink	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/27 16:
9 18		JUS POPUB; USPAT; FPRS, EPO, JPO, DERWENT; IBM TDB (ADJ	ON	2010/10/27 16:
	S107 and (uplink near2 requestS3)	US-PGPUB; USPAT; FPRS, EPO; JPO; DERWENT; IBM TDB 3ADJ	ON	2010/10/27 16:
	Si09 and (@ad<="20021015" or @riad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB 'ADJ	ON	2010/10/27 16:
·····	Si 10 and (@adc="20021015" or @riadc="20021015" or @pradc="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_ADJ	ON	2010/10/27 16:
		US-PGPUB; USPAT; FPRS; EPO; JPO; DERIMENT; IBM_TUB ;ADJ	ON	2010/10/27 16:
	inuliple/S9 with data with signalling		ON	
	S113 and (uplink near2 request\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \ADJ		2010/10/27 16:
	(information or data) with (uplink near2 request\$3) with together	US PGPUB; USPAT; FPRS, EPO; JPO; DERIMENT; IBM_TDB ;ADJ	ON	2010/10/27 16:
	S115 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/27 16:
	370/229/230/231/232/234/321/322/323/325/325/325/327/328/329/330/331/316/336/337/347/351/395/21/395/2/396/3/97/398/399/414/12/413/415/429/437/456/468/537/cds.		ON	2010/10/27 18:
	(information or data) with (uplink near2 request\$3)	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERMENT; IBM_TDB: (ADJ	ON	2010/10/27 18:
	Si 17 and Si 18	LUS PGPUB; USPAT; FPRS, EPO; JPO; DERIMENT; IBM TDB \$ADJ	ON	2010/10/27 18:1

S120 136	[S119 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS;	EPO; JPO; DERWEI	NT; IBM_TDB	ADJ O	N	2010/10/27 18:16
S121 4	(*200208996*	US-PGPUB; USPAT; FPRS;	EPO; JPO; DERWEI	NT; IBM_TDB	ADJ O	N	2010/10/27 18:18
S122 3	[*20020036966*	US-PGPUB; USPAT; FPRS;	PC; JPC; DERWE	NT; IBM_TDB	ADJ O	N	2010/10/27 18:18

10/28/2010 1:14:39 PM C3. Documents and Settings: ariyamli My Documentsi EASTi. Workspacesi 10511091.wsp